User's Manual for Intelligent 1000 Meters Range Submersible Remote & Auto Dog Trainer AT-219

Aetertek™ Training Systems

1000 Meters

AT-219

Owner's Manual

www.aetertek.com

Made in China ® All Rights Reserved

AT219-A1
2012 3 28 10:12:01

Index

Brief Introduction----------1
Quick Start for Transmitter's Buttons----------2
System Contents----------3
Charging & Assembly---------- 4
Power On/Off Receiver---------- 5
Match the Receiver with Transmitter----------5
Buttons' Information Details----------5
Turn Off Auto Anti Bark Mode----------5
Illustrations for Icons on LCD Display----------6
Program the Transmitter----------6,7
Training Tips----------8,9
Common Problems & Fixes----------9
Safety Guidance----------9
Warranty, Terms & Conditions, Compliance----10
Contact Us----------10

Aetertek™
Training Systems
Intelligent Remote & Auto Anti Bark Trainer
AT-219

Brief Introduction

AT-219 series dog trainers are small in size and simple to use.There are six buttons on transmitter for quick programming , which greatly improves user's operation efficiency.

FEATURES

AT-219 series are excellent in features, powerful in function and affordable in in price. Its remote range is up to 1000 meters.

— AT-219 has its unique intellectual dogs' barking identification technology in the world, which can identify excessive barking and will trigger proper corrections accordingly. For example, three excessive barks will trigger ultrasonic, then if the barks continue and get louder, vibration will be followed, then if the barks get even louder in higher frequency, shock will be followed, and with the more excessive barks the shock will be increased in level. But if the barks decrease, the corrections will be reduced automatically until the dog has normal behaviors. Furthermore, this intellectual technology will also prevent false triggering from scratching, running and other normal behaviors.
(Note: Most of those auto trainers on the market can't correct dog's abnormal behaviors intelligently. Big movements, like scratching or running will trigger the correction. AT-219 series can intelligently distinguish excessive barking and can prevent false triggering.)

— 100% Waterproof and submersible design.
You do not need to worry when your dog is swimming or crossing river.

—Intelligent 18 Levels of progressive shock corrections (both in shock time and voltage) to correct bad behaviors effectively.

—18 Levels of adjustable ultrasonic warning tone corrections (in Beep Beep time)

—Latest individual design, novel in appearance.

—Two different size collar receivers for your own choice: large and small.
The large size receiver can be used on medium and large dogs, and the small size receiver can be used on small dogs or even cats.

—Black and white LCD display with individual flashing icons

—Rechargeable transmitter and receiver.

—Rolling matching codes technology between transmitter and receiver, which makes it available for one transmitter to control two dogs individually or simultaneously. When use one transmitter to control two receivers, simply define one dog as the 1st dog, then match the first receiver with the transmitter; in the same way, define the other dog as the 2nd dog and match with the transmitter. When number "1" icon appears on the LCD screen, the 1st dog will be under control; in the same way, when number " 2" icon appears on the LCD screen, the 2nd dog will be under control, and if "00" icons appears on the LCD, both dogs will be under control.

—Self Test feature.
After powering the receiver on, press the On/Off button for three times, the receiver will beep first, then vibrate, and shock will follow at the end, this means the system is in proper working condition.

2 Quick Start for Transmitter Buttons:


Quick press will activate Beep function;
During programming, quick press will confirm the selected program.
Quick press will wake up the transmitter;
In working condition, quick press will activate shock function
Quick press will activate compound correction programmed;
Press and hold for 3 seconds will turn off receiver.
Quick press will turn on/off auto anti bark feature;
During programming, quick press will increase correction level.
Quick press will swap dogs;
During programming, quick press will reduce correction level.
Quick press will activate vibration function;
Press and hold for 1 second will enter Main Menu for programming, then one more quick press will enter the next menu.
Charger port

Note:

1);Only when the transmitter is in working condition, can buttons emit out correction signals.

2); Every button could be used as confirmation button in communicating the transmitter with the receiver.

3); For more buttons information, please refer to the detailed information on Page 5.

Very Important Note: Please communicate Receiver with Transmitter with a minimum distance of 50CM!

Aetertek™
Training Systems
Intelligent Remote & Auto Anti Bark Trainer
AT-219

AT-219

- Hardware Included:
- Transmitter
- Antenna
- Smaller Receiver(optional)
- Larger Receiver(optional)
- Long correction prongs
- Short correction prongs
- Collar
- Test kit





Transmitter Antenna



Smaller Receiver Larger Receiver



Test Kit



Collar

Caution:

ONLY use the AC adapter provided to power the receiver.
Keep the transmitter antenna AWAY from the magnet .

Aetertek™
Training Systems
Intelligent Remote & Auto Anti Bark Trainer
AT-219

Charging the Receiver & Transmitter



1、Lift the small rubber tab on the receiver to access the charger port.

2、Plug the wall charger into the wall socket and into the charger port of the receiver.

3、A red Led light is visible on the receiver during the charging process. For the first 3 times, please charge the receiver for up to 8 hours. The blue LED light on the receiver will turn on when the battery is fully charged.

4、Plug the same wall charger into the wall socket and the charger port of the transmitter, battery indicator bar will start flashing, when full charged, three bars will display on the LCD screen.

Note: Please charge the receiver and transmitter for up to 8 hours in the first 3 times

Assembly guidance

—Transmitter assembly:

Place the treaded end of the antenna into the transmitter and turn until finger-tight



—Receiver assembly

1. choose appropriate prongs, then screw them into the receiver tightly.



2.take the PU collar out of the bag, then put it through the collar holes on the sides of receiver. in order to reach the maximum remote range, one of the metallic eyelet on the collar must be put onto the antenna pole.

5

Power On/Off Receiver & Match the Receiver with the Tranmitter

Aetertek™ Training Systems
Intelligent Remote & Auto Anti Bark Trainer
AT-219

1. Press and hold the On/Off Button on the receiver for up to 3 seconds will switch on the receiver ,and the red LED light will come on.
2. Simply press down any button on the Transmitter, then the receiver will beep and the red LED light inside receiver will go off.
3. The Blue LED light inside the receiver will flash every 10 seconds, which indicates the receiver had been matched with the transmitter.

Note: 1. To turn off the receiver, just press and hold the On/Off button on the receiver for up to 3 seconds, the red and blue LED light will flash once and receiver will Beep.

2. Press and hold the Transmit Button on the transmitter up to 3 seconds will also turn off the receiver.





3. Transmitter can't turn on the receiver.
4. You will need to repeat the matching procedure after switching off transmitter/ receiver each time (follow up the aforesaid three steps)

Additional Information about Intelligent Auto Mode

1. It will enter intelligent Auto Mode every time when the receiver is turned on.
2. Default program in transmitter is set to Intelligent Auto Mode,
3. Intelligent Auto Mode can be shut off through the menu on transmitter (please refer to page 2 or the following Buttons Information.)

Buttons Information:

1. Power On/Off Button—Quick press will wake up the transmitter. (Transmitter will go into sleep mode when waiting time exceeds 30 minutes.) In working condition, quick press will activate shocking correction.
2. Program Confirmation Button (also as BEEP/ENTER button)—Quick Press will activate beep correction. During programming, press this button will confirm the latest selected program.
3. Transmit Button—Quick press will transmit the latest programed correction, press and hold for 3 seconds can turn off receiver.
4. Level In/ Decrease Button—During Menu programming, quick press will in/decrease correction levels gradually. Press and hold the button will in/decrease the levels continuously among 0 and 18. in training, press Left Arrow will swap between dogs; press Right Arrow will switch on or off anti bark Mode.
5. Menu & Vibration Quick Button—Quick press will activate vibration function, press and hold one second will enter correction program menu.

Aetertek TM
Training Systems
Intelligent Remote & Auto Anti Bark Trainer
AT-219

Icons on LCD Display



: dog Icon:

1 indicates 1st Dog

2 indicates 2nd dog

00 indicates both dogs

Remain Battery Icons

1.Three bars will display when battery is full:

2.Two bars will display when 2/3 battery is remained:

3.One bar will display when 1/3 battery is remained:

Charge the battery as soon as possible. Signals to the receiver may be inconsistent.

4. No bar means no signal can be sent.

Self Test

1.In working status, quickly press the On/Off Button for three times, the receiver will do Self Test Program to indicate the receiver is in normal working condition (Ultrasonic, vibration and shock)

2. Shock test: put the attached Test Kit onto the shock prongs and allow the receiver to perform shock function then the Test Kit will flash if shocking is workable.

Start to train

Wear the receiver around dog's neck, leave one finger place between the collar and the neck, then it's ready to train.

Note:

You MUST switch on the receiver and match the receiver with the transmitter (to make sure it is working properly) before wearing the receiver on your dog.

Highlights for Programming the Transmitter

—(for buttons' detailed information please refer to page 5):

1. Press and hold Menu Button for 0.7 second will enter Dog SelectProgram, press the left Arrow button will select the first dog or second dog or both dogs, 00 means both dogs.
2. Second press Menu Button will enter Vibration Level Selection program, press Arrow button will select a vibration level from 00 to 18th, 00 means vibration function is turned off.
3. Third press Menu Button will enter Ultrasonic Level selection program, press Arrow button will select an Ultrasonic level from 00 to 18th, 00 means Ultrasonic function is turned off. And 18th means Ultrasonic correction for the longest time.
4. Fourth press Menu Button will enter Shock Level selection program, press Arrow button will select a shock level from 00 to 18th, 00 means shock function is turned off, and 18th means the strongest shock for the longest time.

Aetertek™
Training Systems
Intelligent Remote & Auto Anti Bark Trainer
AT-219

Highlights for Programming the Transmitter (Continued)

5.Fifth press Menu Button will enter Auto mode program, press Right Arrow button will turn on or turn off the Auto Anti Bark Mode, 00 means Auto Anti Bark Mode is turned off, 01 means Auto Anti Bark Mode is turned on.

6.Once the procedure is programmed, press the Enter button will save latest settings.

7.To press Transmit Button will correct the dog exactly as what is just programmed.

Note: 1. Quick press on On/Off button will wake up transmitter.

2. Quick press on Transmit Button will transmit the latest correction program, press and hold for 3 seconds will turn off receiver.

3. Quick press on Menu button will transmit vibration correction, press and hold for one second will program dogs or compound corrections and their levels.

4. To program the correction levels by press Level Increase or Decrease Button under Menu program

5. Quick press on Program Confirmation Button will save all of the most recent programs, and related icons will be activated.

6. Quick press the Transmit Button will transmit all those programmed corrections to receiver, at the same time the icons in correction will be flashed.

7.The program will run in cycle from dog selection to turning on/off auto mode if you keep pressing Menu Button but do not press Enter Button.

8. In compound correction condition, the Level displayed onto the LCD is the last correction level programmed. But the levels for vibrate, ultrasonic and shock functions can be set as the same or can be set differently.

Working Conditions

—Applicable conditions

— Both indoors and outdoors.

—Water depth should not exceed 0.5 meter.

—Height above sea level < 2000 meters.

—Temperature -20--+55 centi-degrees

Aetertek™
Training Systems
Intelligent Remote & Auto Anti Bark Trainer
AT-219

Training Tips:

This product is intended to support behavioral necessary interaction.

Always praise your dog for good behavior. Verbal commands combined with positive reinforcement will contribute to be success of your training and will achieve the fastest, most desirable results possible.

The recommended age for training is a minimum of 6 months, provided that dog has the attention span and capability to lean basic commands.

Work with your pet on once behavior at a time to avoid confusion and frustration.

Use as little stimulus as possible, and only to reinforce verbal commands when necessary. Do not over correct your dog.

Use verbal commands first, and supplement with a corrective stimulus only as needed. Be consistent with your verbal commands, using the same words every time.

Use the beeps as a warning by pushing the BEEP/ENTER button. The dog will become conditioned to the beep proceeding the corrective stimulus and will soon learn to recognize the beep as a warning along with your verbal command.

This system is not appropriate for correcting aggressive behavior. Please consult a professional trainer for advice.

Use the corrective stimulus along with your verbal command, to deter the dog

From undesirable behavior by administering the stimulus DURING THE ACTUAL BEHAVIOR. Using this device as a punishment after the fact is not recommended and may serve to confuse of frustrate the animal.

SAFETY

To maximize the effectiveness of the AT-219 remote tra ining system, and safety of your dog, check the fit of the collar frequently and readjust the position of the electrodes on the animal's neck, checking for signs of irritation or discomfort.

If signs of skin irritation are noticed, immediately discontinue use and apply antibiotic ointment to help heal and sooth the area. If the condition persists beyond 48 hours, please seek the advice of a veterinarian. Such side effects are extremely rare and are generally caused by a more serious condition.

The collar is not intended to be left on a dog for extended period of time without supervision and doing so can lead to health problems. The conservative recommended time limit without supervision is 12 hours.

Wash the dog's neck area and the correction poles as often as needed to keep the area and poles clean. Make sure the straps are clean for best performance. The straps can be removed for cleaning but must be replaced in the same position.

Training Tips: (Continued)

Do not rely on this product solely to train your dog. If your dog shows signs of growling, snarling, biting or aggression while using the collar, discontinue use immediately and contact a professional trainer.

Some dogs will not respond to this product. Aetertek can not guarantee the effectiveness of this or any trainer on your dog.

This product is not recommended for aggressive or elderly animals in poor health or animals otherwise unable to withstand the stimulus.

Caution: Any collar worn for extended periods can cause a condition similar to bedsores, know as Pressure Necrosis. To reduce the possibility, you must do the followings:
Never leave the collar on dog for more than 12 hours per day.
Examine the dog's neck daily for any signs of a rash or a sore.
Supervise your dog during the first 2 days of training.
Check the fit to prevent excessive pressure; your should be able to insert one finger between the collar strap and your dog's skin.

Common Problems & Fixes:

The receiver does not seem to be working properly:

1. Press BEEP/ENTER button, did the receiver beep?
   NO BEEP-make sure the receiver is fully charged. Low charge will cause the receiver to work inconsistently.
   -Following the instructions, match the receiver to the transmitter.
   -Make sure the transmitter battery is good. A low battery will disallow the remote to emit a strong signal every time.
   BEEP-Reprogram the receiver and intensity level and try again.

The receiver does not seem to take a charge:
-make sure the charger had been plug into the main supply tightly, as well as the charging end had plug into the charging hole tightly, in charging the red led inside receiver should come on.

My dog does not respond when I issue a correction:
-Test the receiver according to the instructions above to make sure each stimulus is functioning.
-Make sure the correction prongs are positioned properly and that both prongs are making contact with the dog's skin and the collar is snug.
-Increase the intensity level of the correction.

Safety Guidance

—It is forbidden to open the shell in case of breakage of the machine or harm the waterproof feature. Otherwise it will violate warranty rules.

—In order to guarantee submersible feature, the waterproof rubber charging lid should be plugged in tightly.

—Only use the supplied adaptor to charge the receiver and transmitter, otherwise the receiver or transmitter will probably be damaged.

—Users are not suggested to touch the shocking prongs, otherwise that will harm human body in case of shocking operation, for shocking test, please use the supplied test kit.

—If water found in the charging hole, please make sure to dry it at anytime.

Warranty, Terms & Conditions, Compliance

Aetertek, Inc., Warrants to the original retail purchaser that your Aetertek brand AT-219 Remote Training System will be free from defects in material and workmanship for a period of one year from the date of the original retail purchase. Provided that the damage is not caused by abnormal use or neglect. Warranty does not cover lost parts, cracked screen, physical damage or water damage. Warranty may include repair or exchange. After the expiration of t he warranty, replacements and repairs are available for an additional charge.

1. Terms of Use
It is understood that you accept without modification of the terms and conditions, the offering to you of this product.
2. Proper Design and Use.
This training collar had been designed for the training of dogs. Your pet's temperament may not be suitable for this system. This collar is not recommended for dogs that are aggressive or neglected.
3. Unlawful and Prohibited Use.
This product is designed for training purposes. It is not intended to punish, injure, provoke or harm. Using this product in a way in which is not intended is strictly prohibited and can result in violation of Federal, State or local laws.
4. Limitation of Liability.
In no event shall Aetertek , Inc., Be liable for any damages arising out of or connected with the use or misuse of this product. Buyer assumes all risks and liability associated with the use of this product.
5. Modification of Terms and Conditions

Aetertek, Inc., Reserves the right to change the terms and conditions under which this product is offered.

This equipment is in full compliance with the limits for Class B digital device, pursuant to Part 15 of the FCC rules in the United States and Canadian ICES-003 regulations. For Europe, this product meets the standards for R&TTE-Directive 1195/05/EEC compliance.

In some countries, this device may be restricted according to frequency or transmission regulations; the user is responsible for compliance.

Unauthorized changes or modifications to the equipment are not approved by Aetertek, Inc., And are additionally in violation of FCC regulations. Such modifications render the warranty immediately void.

Aetertek™
Training Systems
Intelligent Remote & Auto Anti Bark Trainer
AT-219

Additional Information for Terms of Use and Limitation of Liability

1. Terms of Use

This product is offered to you conditioned upon your acceptance without modification of the terms, conditions, notices contained herein. Usage of this product implies acceptance of all such terms, conditions, and notices.

2. Proper Use

This product is designed for use with dogs where training is desired. The specific temperament of your dog may not work with this product. We recommend that you not use this product if your dog is less than 8 pounds or if your dog is aggressive. If you are unsure whether this is appropriate for your dog, please consult your veterinarian, certified trainer or contact our customer support.

3. No Unlawful or Prohibited Use

This product is designed for use with dogs only. This dog training device is not intended to harm, injure, or provoke. Using this product in a way that is not intended could result in violation of Federal, State or local laws.

4.**Limitation of Liability**

In no event shall Aetertek be liable for any direct, indirect, punitive, incidental, special or consequential damages, or any damages whatsoever arising out of or connected with the use or misuse of this product. Buyer assumes all risks and liability from the use of this product.

5. Modification of Terms and Conditions

Aetertek reserves the right to change the terms, conditions, and notices under which this product is offered.

For parts and warranty, contact with authorized dealer shown in warranty card